Receiving Report Batch No: Date: Dart P/O: Supplier: Release Note Attached: Yes 🗘 Yes Waybill Attached: Shipment Competes Packing Slip: Yes No N/A Yes No Invoice: Cr N/A Cash QC6 Inspection 16
Work Order Receipt: N/A Discrepancies Quantity Quantity Quantity Comments Quantity Part Short Returned Description Received Ordered Number Initials of receiver (if shipment OK) Level 12 Production/Admin: Location Date Received/Costing Initial

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Receipt Listing

Wednesday, May 08, 2013 11:41:01 AM

All amounts are calculated in domestic currency.

All Line Item Types All Vendors PO ID PO19753 Receipt Dates from 5/8/2013 to 5/8/2013 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Project ID Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
endorID\Vendor Name	lor Nam		VC-RYS001 RYERSONM7075T6B5.000X1.0 f	RYERSON INC.	5/3/2013	5/3/2013 5/8/2013	72.9000	\$26.30	0.0000	0	\$1,917.16
CAD	No		00 7075-T6 BAR 5.000" f × 1.000"	J "00,	72.9000	DESJ02		\$1,917.16	0.0000	0	
	2		125554 M7075T6B6.000XI.0 f	X1.0 f	5/3/2013	5/8/2013	16.0000	\$36.29	0.0000	0	\$580.67
	°Z		7075-T6 BAR 6.000" f X 1.000"	J ,,000	16.0000	DESJ02		\$580.67	0.0000	0	
	•		125554						Total Received Quantity:	uantity:	000000
•								I OTAL	Total Reject Quantity:	uantity:	0.0000
					*	•		Tot	Total Receipt Value: Fotal Balance Due Quantity:	ot Value: Duantity:	\$2,497.83 0.0000

Total Balance Due Quantity:

Shipping Order / Bordereau d'expédition

Description Description

sur notre site web www.ryerson.com, ou par votre representant interne, ou par telephone (800) 268-2680.

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles

pour la santé. Pour de plus ample information voir les fiches. le Traitement de ce matériel peut présenter un risque physique et ou Les alliages d'aluminum, de cuivre, d'acier Avertissement:

or from your sales representative, or by calling (800) 268-2680.

Received by/ Reçu Par:

Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com,

Date:

Packing List/Bordereau de marchandises

Alloys of Aluminum, Copper, Steel Caution:

Processing of this material may present a physical and or health hazard. See material safety data sheets for further information

Shipping Order / Bordereau d'expédition

DART AEROSPACE LTD. Sold to/Facturer a: ğ # 200 RUE DU CHEMINOT Phone/Tel (450) 424-0153 200 RUE DU CHEMINOT

> VAUDREUIL QC J7V 5V5 VAUDREUIL-DORION QC J7V 5V5

Page 2

de 2

05/03/13 06:32 CST

S.O. / Bordereau d'expédition

X6-307439

P.O. / Bon de commande

19753

Line /# de ligne Item

HAWKESBURY

1270, ABERDEEN STREET

ON K6A 1K7

Description

HAWKESBURY

1270, ABERDEEN STREET DART AEROSPACE LTD. Ship to/Expedier a:

ON K6A 1K7

Phone/Tel (613)632-3336

Oty Shipped/Oté expédiée B.O.Oty/En souffrance

7915-9998 ENERGY CHARGE

Order Qty/Qte commandee

1.0000 LOT

Pcs:

0

1.00 LOI

Customer/Driver Instructions / Commentaires du client/chauffeur:
HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR_AVANT COTE CHAUFFEUR
CFC ET MTR REQUIS A LA LIVRAISON

Packing List/Bordereau

Date:

Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com de marchandises Alloys of Aluminum, Copper, Steel Caution:

le Traitement de ce matériel peut présenter un risque physique et ou pour la santé. Pour de plus ample information voir les fiches. Les alliages d'aluminum, de cuivre, d'acier Avertissement: Processing of this material may present a physical and or health hazard. See material safety data sheets for further information

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web www.ryerson.com, ou par votre representant interne, ou par telephone (800) 268-2680. or from your sales representative, or by calling (800) 268-2680. Received by/ Reçu Par:

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946)

DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336 Fax: (613)632-4443

ON K6A 1K7

P/O No: 19753

Rel :

S/O No: 307439 1

B/L No: Inv No:

> Ship To: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

CERTIFICATE of COMPLIANCE

Cert. No: 307439

Part No.: 55556558

PLA AL 7075-T651

1.000 X 5" X 119.218"

Pcs Wgt

6

ALERIS

Heat Number 458934

Test ID 709049

Control Number

X6FM0018

6

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19753

Rel :

S/O No: 307439 2 B/L No:

Inv No:

Ship To: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307439

Part No.: 55556558

PLA AL 7075-T651

1.000 X 5" X 80"

Pcs

Wqt

CONSTELLIUM

Heat Number 176851

Test ID 714314

Control Number

X6FM0019

2

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

TEST CERTIFICATE

Sold By:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tel: 450-424-0153 Fax: 450-424-0853

Sold To: (1946) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tel: (613)632-3336

Fax: (613)632-4443

P/O No: 19753

Rel :

S/O No: 307439 3 B/L No: Inv No:

Ship To: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

CERTIFICATE of COMPLIANCE

ON K6A 1K7

Cert. No: 307439

Part No.: 55556558

PLA AL 7075-T651

1.000 X 6" X 96"

Pcs

Wgt

ALERIS

Heat Number 458934

Test ID 709049

Control Number

X6FM0021

2

THIS IS ONLY A LETTER OF COMPLIANCE

To Whom It May Concern,

This is to certify that the material supplied as above, conforms to the specifications as outlined in your above order.

AUTHORIZED SIGNATURE

Ryerson

5/3/2013 6:38:43 AM PAGE 1/008 Fax Server

P.O. - 19753 S.O. - 307439 DART AEROSPACE LTD. TO A STATE OF THE PROPERTY OF

> Aleris Aluminum Koblenz GmbH Cari-Spaeter Str.10 56070 Koblenz/Deutschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373686

SERIAL-NO.:

PAGE:

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

RYERSON CANADA INC.

CONSIGNEE:

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

ORDER NO. PURCHASER:

709049-2

PART NO. PURCHASER:

5555-6554

ORDER NO. MANUFACTURER/ITEM:

66763 / 02

PRODUCT:

7.176

SPECIFICATION:

66763 / 02

PLATE

AMS-QQ-A-250/12 APR 2007

ALLOY/TEMPER:

7075 T651

GROSS LBS

7.463

DIMENSION:

144.50 INS 60.50 × 1.000 ×

PCS.

LBS

PACK-NO 730135

LOT-NO

PACK-DAT: 26.03.12

Aleris Aluminum Koblenz GmbH
Carl-Spaeter Str.10 56070 Koblenz/Deutschland



was the transfer of the second to the second



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE PAGE . LOT: 458934 NO.: 0373886 RESULTS: Mechanical properties: __________ U.T.S. El. Pl. No. Spec. No. Y.S. KST KSI 68,0 7.0 Min. LT: 78.0 Max. LT: 75,9 85,4 12,8 A 12,7 76,4 85,7 76,1 85,7 1 3 _3,4 2 А 76.6 85,9 2 E 72,8 75,7 85,3 12,8 3 A 76.6 85,9 76,0 85,4 85,9 12,7 3 E 12,7 4 A 75,9 85,3 12.5 Chemical composition: in % , remainder Al Cast No.: 4-12-3869 Cu Mn Mg Cr Ti Zn Fe 0,049 0,098 1,691 0,006 2,463 0,196 5,719 0,0397 0,0014 Zr Pb Ni Sn Be Na Li V H2 (* H2 (*) 0,0057 0,0030 0,0060 0,0030 0,0003 0,0000 0,0000 0,0091 0,06 Tl Ti+Zr Cu/Mg Fe/Si 2.0 0,045 (*) = M2 in m1/100 g AL Am 13-5-13 Other tests: or or Dimensional check: Surface control: US-spec : AMS-STD-2154 TYPE 1 CL.A Ultrasonic test: OK Normative references: LEGIERUNGSNORM/CHEMICAL COMPOSITION STANDARD/COMPOSITION CHIMIQUE AMS-QQ-A-250/12 FESTIGKEITSNORM/MECH. PROP.STANDARD/CARACTERISTIQUE MECANIQUE AMS-QQ-A-250/12 ULTRASCHALLNORM/ULTRASONIC STANDARD/ULTRASONS - NORME AMS-STD-2154 TYPE 1 CL.A

Ryerson 5/3/2013 6:38:43 AM PAGE 3/008

3/008 Fax

ax Server

Aleris Aluminum Koblenz GmbH Cari-Spaeter Str.10 56070 Koblenz/Deutschland



PERSONAL PRODUCTION OF THE PROPERTY OF THE SAME AND THE S



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

LOT: 458934

PAGE:

3 / 4

Electrical conductivity:

JM 13-5-13

Min.: 32,7

Max .: 33,8 %IACS

Result:

OK.

Heat treatment

135 DEGREES C.-16H

5/3/2013 6:38:43 AM PAGE 4/008 Fax Server

Aleris Akıminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland



A DESCRIPTION OF THE RESERVED CONTRACTOR OF THE PROPERTY OF TH



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373886

PAGE:

4 / 4

Remarks:

Jm 13-5-13

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN 150 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 27.03.12 PS

Karl-Egon D'Altri Quality assurance

Aleris Aluminum Koblenz GmbH 5/3/2013 6:38:43 AM PAGE 5/008 Fax Server

DART AEROSPACE LTD. P.O. - 19753 s.o. - 307439 CHORDING THE PROPERTY OF THE COMMENCE OF THE C





CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

RYERSON % INTEGRIS METALS, LTD 3399 FRANCIS HUGHES

CM CANADA LAVAL

H7L5A5



RYERSON - CANADA 161 HE WEST MALL CORP A/P ETOBICOKE


M9C 4V8

CM CANADA

SECTION S	i de de la companya d	
RYERSONCAN 311801 4075 Th	ICLUSION SERIAL#:	20120222311801 PAGE 1 OF 3
CUSTOMER PURCHASE ORDER NO. & ITEM	Constellum ORDER NO.	CERTIFICATION
714314-1	210-514579	"Consiellium Rolled Products, hereby certifies that metal
ALLOY CLAD. TEMPER GAUCE	WIDTH LENGTH	shipped under this order has been inspected and found in
7075 00 T651 1.00000	60.500 144.500	conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited
ITEM ORDERED		to that shown on Constellium Rolled Products' standard
DIST. AEROSPACE/COMM.		Garreral Terms and Conditions of Sales. Test reports are
		on file, subject to examination."
CUSTOMER SPECIFICATION		Gal stellium Rolled Products Ravenswood, LLC Rt 2 South, Century Road P.O. BOX 68
AMS-QQ-A-250/12	DATE SHIPPED	P.O. BOX 68 RAVENSWOOD, WV 26164 USA
PART NUMBER BA. NUMBER		HAVENSWOOD, WV 20104 USA
55556554 311		orderey J. Felly
WEIGHT SHIPPED NO. OF PIECES GOVT. CONTHA	OLINO.	Recrey J. Felty - Laboratory Manages
1,820 2		

1.7.	TEST	NO. OF	ULTIMATE	STRENGTH	IK.S.I.	} Y	IELD STA	нтриз	K.S.I.	i	ELOFic	GAT ON K			ND 3		<u>-3</u>
LOI RERMUN	DIRECTION	TESTS	MIN.		MAX.	Mil	4	<u> </u>	MAX.		MIN.	!	MAX.	MI	N.	MAX	
176851	LT	2	**** To		2.8	73	4	. 7	72.8	* * * :	* 1.0	4 · · · · · · · · · · · · · · · · · · ·	3.0				
A11 m	ateri:	1 c	ntaine	d in	1ot 1	768	51 Wa	as c	ast	and i	maru	ıfact	ture	d in	the	USA	•
ALL !	отѕ о	n TH	S CERT	IFIC/	ATION	ALS	0 009	FOF	RM TO) /HE	E FOI	LþW	(NG I	REQUI	(REM	ENTS	
	1 .	AL	SO CONF	ORMS	TO A	MS-4	045J	ANI	D AS	гм 🅦	209-1	10		.			
				i i		1				;		i.		1			
É	JW 5	13	/50	losti	}	!				;		1					
				1		i .		1				:					
			ŀ			:		i 1		•				1			
				;								•					
			:	i		:		: 		•		<u>.</u>					
	SILICO	<u> </u>	IRON	COPE	ER	MANGAN	ESE	MAGN	ESIUM	CHRON	AIUM	.210	я¢	TITA	MUIV	ОТН	
C ALLOY			M.N. MAX.	MIN.	MAX.	MIN.	AAX.	MiN.	MAX.	MIH.	MAX.	MIN.	MAX.	MIN.	MAX.	EACH MAX.	M
c	CTUAL	CHEN	IICAL CO	MPOS	1710												
M P				J			ALUM!		J	<u> </u>	J						





CERTIFIED TEST REPORT

Constellium Fiolled Products Ravenswood, LLC



RYERSON % INTEGRIS METALS, LTD 3399 FRANCIS HUGHES LAVAL

CM CANADA

H7L5A5



and the second second


RYERSON - CANADA 161 HE WEST MALL CORP A/P ETOBICOKE

M9C 4V8

CM CANADA

						التقتتنا			_		
RYERSONCA	N 3	311801	4075	IN	CLUSION	SERIAL#:	20120222311361	PAGE	<u>2</u>	<u>OF</u>	_3
CUSTOME:H PUHCHASE	ORUER	NO. & IT(.M	- 1		Constell um ORDEF	INO.	CERTIF	ICATION			
714314-1					210-514		"Constellium Fielled Products	hereby certific	es th	nat me	tal
ALLOY	CLAD.	TEMPUR	- 3 =	GAUGE	WID:TH'	LENGTH	shipped under this order has b	een inspected	and	found	in i
7075	00	T651	1	.00000	60.500	144.500	conformance with the require specifications as indicated here	ements of the	e a	ipplicat is limit	oie ed
ITEM OPDERED						·	to that shown on Constellium	Rolled Produ	icts'	standa	ard
DIST. AER	ROSPA	ACE/COM	IM.			.**	Genera: Terms and Conditions on file subject to examination."		st re	ports a	ıre
CUSTOMER SPECIFICA	MOIT	****				, , , , , , , , , , , , , , , , , , ,	Constellium Bolled Pro	1	oowa i	od, LLC	>
AMS-QQ-A-	250	/12					P.O. B	OX 68			
PART NUMBER			BYL NUN	IBER		DATE SHIPPED	RAVENSWOO	D, WV 26164	JSA		
55556554			à	3118		2/24/12	Kochen	Telle			
WEIGHT SHIPPED	NO.	OF PIECES	GC	IVT. CONTRAC	TNO.	-	Houney J. Felty - Laboratory	Manager			
1,82	20		2								

LOT	TEST	NO. OF	ÜLTI	MATE STE	RENGTH F	(.S.I.	i	YIELD S	TRENGT	H K.S.I.	:_		ELONG/	ATION 3	ń				IA	
NUMBER	DIRECTION	TESTS	Мі	N.	N	IAX.		MIN.		MAX		NIE!	l	_!	⊮AX.		MIN		MAX	
176851	C SI= CR= OTHI	0.20	ACH:	FE= ZN≕	0.13	5	CU=	= 1.! = 0.	50 02	ZR	= ; ; ; ; ;	.01		ļ	= 2. Main					
														; }			10			
											! !			ļ				ļ		
	· M										٠			į		}				
	1	3.5	3				il.							į		İ				
	0	9	1								٠			!						
ř			i						i					;		! 	,			
			:				•				:			:						
•	[1 1				,				•			•		İ				
	40						i		į										· ·	
									!		•					-				
							į		-					,						
			1						İ		;			; ;						
	:	1							1								l ! !			
	SILICO	<u>, </u>	IRON		COPPLI	н	MANGA	NESE	MAG	NESIUM	СНЗ	MUIMO		ZI	NC		IUIMAT		OTH	
VILOY				/AX. N	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	Mist	MA	۸x.	MIN.	MAX.	MIN	1. 1	MAX.	EACH MAX.	



H7L5A5

1,820

MILES WELL AND ST. LANGUAGE TO LAND



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



RYERSON % INTEGRIS METALS, LTI 3399 FRANCIS HUGHES

LAVAL CM CANADA

RYERSON - CANADA 161 HE WEST MALL CORP.A/P ETOBICOKE

more was a first that the management and the state of the same and the same and

M9C 4V8

CM CANADA

RYERSONCAN 311801 4075
CUSTOM/TH PURCHASE OHDER NO. & TITEM INCLUSION SERIAL#: 20120222311801 CERTIFICATION 714314-1 210-514579 *Consielium Foiled products, hereby certifies that metal TEMPER GAUGE I FINGTH shipped under this order has been inspected and found in 7075 00 T651 1.00000 60.500 144.500 conformance with the requirements of the applicable ITEM ORDERED specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard DIST. AEROSPACE/COMM. General Terms and Conditions of Sales. Test reports are on tile subject to examination." CUSTOMER SPECIFICATION Constellium Rolled Products Ravenswood, LLC Rt 2 South, Century Road P.O. BOX 68 PAVENSWOOD, WV 26164 USA AMS-QQ-A-250/12 PART NUMBER B/L NUMBER DATE SHIPPED 55556554 WEIGHT SHIPPED 311800 02/24/12 NO. OF PIECES GOVT, CONTRACT NO.

	020		<u></u>	+		-+											
LOT	TEST	NO. OF	ULTIMATE	STRENG	TH K.S.I.	$+_{T}$	YIELD	STRENG	TH K.S.I.		ELONG	AT ON %		C	OND	% T.A	ics
NUMBER	DIRECTION	TESTS	MIN,		MAX.	77	MIN.		MAX.		MiN.	()	AX.		IN	MA	
CHEMIS WHEN F	EST RE (AL OF CORDIN RTIFIC TRIES RACTUI ENSILI	PORTATE ATE REPO	SHALL LABORA FALSE MAY BE CHE RTED I UGHNES T REQU	TORY FIRED FIRED FIRED FIRED FIRED	BE OR CTIT ISHE RY B RCEN ST R	AUTA SEGI	PRODUCTHORIZUS, OR AS A FUES: A FUES: A FUES: A FUES BY UIRED, ED PER FUE FUE FUE FUE FUE FUE FUE FUE FUE FUE	ELOI ELOI WEIO TE:	EXCEPT QUALIT AUDULE NY UND PARK SHT. STED P	Y DE PERSON	FULL ELEGA STATE FEDER	ES99	THOU S OR AW.	T T	HE W	RIT [*]	TEN 1
Mercur nor ar	y is i	ts c	norma ompoun	ds w	07 e	ut:	ilized	i in	uminum the m	n al unan :	loys : factu	and re or	neit f ou	her Ir p	mer rodu	cury ct.	/
			"END	UF	CERT	JF:	CATIO	(k) **		•		i				1	
J'B	5-13																
ALLOY	SILICON		IRON	COP	чен .	MA	NGANESE	MAG	NESIUM	CHHON	NUM	ZINC		TITA	NIUM	отн	ERS
1			N. MAX.	MIV.	MAX.	MIN	MAX.	MIN.	MAX.	MIN.	F-VX	MIPI. I	JAX.	MIN.	MAX.	EACH MAX.	TOT/ MAX
SEE AC	STUAL (CHEMI	CAL CO	MPOS	ITIC	N 	ALUI	MINUM RI	HEGINIAME								

5/3/2013 6:38:43 AM 8/008 PAGE

optimus

Contrôles non destructifs Non destructive examinations 915 St. Charles Street St. Lambert, Quebec J4P 2A2 Tel.: (450) 671-0220 Fax: (450) 466-4158

RAPPORT D'ESSAI / INSPECTION REPORT

RYERSON	CANAL	A	
3399 FRA	NCIS	HUGH	ES
LAVAL	1	- 1	

່, ພບ

H7L 5A5 CERTIFICAT DE CONFORMITÉ

Je certifie par la présente que les items énumérés ci-dessous ont été contrôles selon les spécifications indiquées telles que requises aux termes du contrat et/ou du bon de commande et que les résultats notés représentent les indices qui peuvent être détectés par la méthode utilisée.

MDN-Assurance qualité DND-Quality assurance

MDT-Accréditation 39-91

39-91 DOT-Approval

DATE

COMMANDE NO.

Ø5 MAR 2012

ORDER NO.

3780

RAPPORT NO. REPORT NO.

200152

CERTIFICATE OF CONFORMANCE

I hereby certify that the items listed below have been examined in accordance with the specifications indicated as requested by contract conditions and/or purchase order and that the results noted represent indications detectable by the method used.

L'entretien décrit a été effectué selon les normes applicables de navigabilité. The maintenance described has been performed in accordance with the applicable standards of Airworthiness.

2

specification(s)

AMS-STD-2154-05

CLASS A

NO. DE LA PIECE PART NUMBER

NO. DE MOULE DIE NUMBER

DESCRIPTION

QTÉ VÉRIFIÉE

AVEC INDICES SANS INDICES QTY, TESTED WITHOUT INDICATIONS WITH INDICATIONS

2

Ø

RAW MAT'L

DWG:

H. T.

MATL: 7075 00-A-250/12 TECH #: QP-9.7.1/OUT-IM-00-1

1.00 X 60.5 X 144.5.

HEAT/LOT# 176851.

SOURCE ITEM# 5555-6554.

REF: 29D82048 RECEPT.

MAR

DATE

STAMP

LEVEL III

1-BERNARD H BILODEAU



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO19753

Purchase Order Date 5/01/13 PO Print Date 5/01/13

Page Number 1 of 1

Order From:

VC-RYS001

RYERSON INC.

200 DU CHEMINOT

VAUDREUIL, QUEBEC J7V 5V5

Contact Name

Vendor Phone

450-424-0153

Vendor Fax

450-424-0853

Vendor Account Nbr

Buver

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Net 30 CAD

Destination-Collect

Chantal Lavoie

10127-2607

Ship To:

2

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Nbr Reference Revision ID Vendor Part Number Description/ Mfg ID

Reg Date/

Req Qty/ Taxable Unit of Measure

Ship Method

Unit Price

Extended Price

M7075T6B5.000X1.000

M7075T6B6.000X1.000

7075-T6 BAR 5.000 X

7075-T6 BAR 6.000" X

1.000"

1.000"

Yours ppd

\$26.4946

\$1,950.00

Yes

f

Special Inst:

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

CUT FROM PLATE

16.00

Yours ppd

\$36.5625

\$585.00

Yes

f

Special Inst.

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

CUT FROM PLATE

\$2,535.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required NO

5/01/13

Change Nbr:

Change Date: